



PREDATOR PUMPS

Our Business is to provide you
with the right tool for the job.

*Plaster/Stucco &
Fireproofing
Pumps*



WESTERN

EQUIPMENT YOU CAN COUNT ON

PREDATOR

Combination of Zinc , Galvanized, & High Quality Paint Coatings – for maximum protection.

Single oversized air filter keeps engine and compressor cleaner longer

Oil Bath enclosed gearbox –provides years of trouble free performance


Remote activated pumping action

Air filter minder for peace of mind

Heavy Duty Clutch – for a longer and more reliable life

Heavy Duty 2-15/16" Low Speed Shaft

4 Speed Pulley



50 state legal Tier 4 Emission Compliant Turbo Diesel Engine or Electric Motor


Advanced AGM Battery (Absorbent Glass Mat)

ROLAIR K18 Compressor – Leaders of the industry

Zinc Plated Rocker Arms – built to last and are adjustable to 6" or 8" stroke.

Electronic governor accurately maintains idle and pumping speeds

Oversized pusher fan maintains electronic and mechanical components cool




High Volume Cast Steel Manifold Assembly – with 2 or 3 inch outlet

Tungsten Carbide Heavy Duty Seats for maximum life

High Quality Hard Chromed Pumping Cylinders – available in 2-3/4", 3-1/2", and 3-3/4"

(2 inch outlet shown)


The PREDATOR is available in different configurations to ensure you get the set-up that meets your requirements and gives you the most productivity.



Mobile Pumps

Towable pump/mixer combination.

Pump shown with the optional heavy duty single axle trailer, diesel engine and gearbox driven mixer. (Also available with hydraulic mixer powered by pump engine)



Powerdump Mixer –

Equipped with the PowerDump mixer, it utilizes the pump engine as the power source for mixing and dumping. Includes the tandem-axle trailer with torsion suspension and surge brakes. It provides the lowest loading mixer height available in it's class.

Tag-Pump


This versatile configuration of the Predator comes with a removable tow bar and a torsion bar suspension for easy and smooth towing.

(Also available as a skid mount)



Electric Pump

Shown on a roller cart and narrow hopper design. Perfect for setting up where diesel engines can't be used and still maintaining the high pumping output you need.



PREDATOR

SPECIFICATIONS

Pump Design	Reciprocating Piston
Pump Power	<ul style="list-style-type: none"> Perkins 40 HP 3Cyl Turbo Diesel 15 HP Electric Motor
Max. Aggregate Size	1/8 inch Minus
Pumping Rate *	9.6 yd ³ /hr (60 bags/hr)
Max. Pressure	1,000 psi (69 bar)
Pumping Cylinder	3.75", 3.5" (standard), 2.75"
Compressor	Rolair K18
Hopper Size	15 CuFt (12cuft on standard tag)
Material Outlet	2" NPT (standard), 3" NPT

Automated Water Batching System

Maximize your productivity with the Automated Water Batching System

for **PREDATOR PUMPS**

Specifically designed for the **Fireproofing** contractor that requires the best.

All inclusive factory designed system:

- Ultimate dust control mixer cover
- Machine mounted water pump and tank
- Water batch dial with digital readout
- One touch controller



FIREPROOFING

- 3-3/4" Cylinders
- High volume seats
- 2-1/8" check balls
- 3" Manifold Output
- 8" Stroke
- Manifold Compression-Kit (For low density mixes)
- Water-Batching System

POOL PLASTERING & PEBBLE

- 3-1/2" Cylinders
- High volume seats
- 2" check balls
- 2" Manifold Outlet
- 6" Stroke
- Screen on mixer or Hopper

PLASTERING

- 3-1/2" Cylinders
- 2" check balls
- 2" Manifold Outlet
- 6" Stroke
- 1/2" screen on mixer or Hopper

Actual setup may change depending on type of material being pumped.

PREDATOR MIXER OPTIONS

	MOBILE PREDATOR PUMPS Towable Pump/Mixer Combo		PREDATOR with Powerdump	PREDATOR H3 Hydraulic
	Mechanical Drive	Hydraulic Drive		
Power Source	Honda GX 390 – 13HP Gas Hatz 1D42 – 7.6HP Diesel 5HP, 3ph 230/460V – Electric 5HP	Honda GX 390 – 13HP Gas Hatz 1D42 – 7.6HP Diesel 5HP, 3ph 230/460V – Electric 5HP	Powered by Pump Engine	Powered by Pump Engine
Drive	Oil Bath Enclosed Transmission	Hydraulic Pump/Motor	Variable Volume Hyd. Piston Pump/Motor	Hydraulic Pump/Motor
Capacity cu.ft.	12 Cubic feet	12 Cubic feet	12 Cubic feet	12 Cubic feet
Capacity Bags	(4) 90 lb. Bags	(4) 90 lb. Bags	(4) 90 lb. Bags	(4) 90 lb. Bags
Trailer	Single Axle Trailer Tandem Axle Trailer	Single Axle Trailer Tandem Axle Trailer	Tandem Axle Trailer	Single Axle Trailer Tandem Axle Trailer

* These figures will vary due to mix design, line size and job conditions. All specifications and features are subject to change without notice.



Western Equipment Manufacturing, Inc.
1160 Olympic Dr., Corona CA 92881
Phone (951)284-2000 western-emi.com